

Event Location	Event Date	Gender	Bib #	Age	Sprint Surface	Height (cm)	Weight (kg)	Arm Span (cm)	Vertical Jump (cm)	10m Sprint (s)	10-40 m Sprint Split (s)	40m sprint (s)	Isometric Mid-Thigh Pull (kg)	IMTP (Relative Strength)	20m Shuttle Run (Stage, Shuttle)	Shuttle Surface	Shuttle Distance (m)
Saskatoon	3/17/2018	Female	1	18.3	cement floor	165.0	50.0	170.2	63.4	1.91	3.96	5.88	110	2.20	10.00	cement floor	20
Saskatoon	3/17/2018	Male	2	17.1	cement floor	170.3	69.4	174.3	65.9	1.75	3.88	5.64	165	2.38	10.02	cement floor	20
Saskatoon	3/17/2018	Female	3	16.1	cement floor	172.0	75.0	176.2	54.1	2.05	4.09	6.14	105	1.40	10.00	cement floor	18.7
Saskatoon	3/17/2018	Female	5	14.9	cement floor	173.6	60.2	179.8	58.4	1.86	3.95	5.82	104	1.73	9.09	cement floor	18.7
Saskatoon	3/17/2018	Female	6	14.9	cement floor	173.6	65.8	181.8	49.9	2.02	4.00	6.10	106	1.61	8.02	cement floor	20
Saskatoon	3/17/2018	Male	7	17.9	cement floor	170.0	76.2	175.0	76.8	1.91	3.53	5.44	195	2.56	7.02	cement floor	20
Saskatoon	3/17/2018	Male	8	20.7	cement floor	189.6	71.0	189.1	77.5	1.90	3.71	5.61	179.5	2.53	12.05	cement floor	18.7
Saskatoon	3/17/2018	Female	9	17.2	cement floor	165.3	63.0	1.7	50.2	2.11	4.66	6.71	115	1.83	11.04	cement floor	18.7
Saskatoon	3/17/2018	Male	10	17.3	cement floor	185.2	67.4	195.1	59.8	1.95	3.79	5.74	145	2.15	12.05	cement floor	20
Saskatoon	3/17/2018	Female	11	14.9	cement floor	159.4	53.2	162.1	50.6	1.99	4.16	6.16	99	1.86	11.03	cement floor	18.7
Saskatoon	3/17/2018	Male	12		cement floor	181.2	73.6	196.2	62.7	2.0	4.3	6.3	138.0	1.9	10.1	cement floor	20
Saskatoon	3/17/2018	Male	13	16.1	cement floor	180.8	80.6	186.2	64.9	1.8	3.6	5.5	155.0	1.9	10.0	cement floor	18.7
Saskatoon	3/17/2018	Female	14	14.1	cement floor	155.2	50.0	160.2	47.0	2.1	4.5	6.6	85.0	1.7	10.1	cement floor	18.7
Saskatoon	3/17/2018	Male	15		cement floor	174.8	75.6	181.2	72.9	1.8	3.7	5.5	171.0	2.3	12.1	cement floor	20
Saskatoon	3/17/2018	Male	16	18.0	cement floor				72.7	1.7	3.6	5.2	152.0		11.1	cement floor	18.7
Saskatoon	3/17/2018	Male	18	19.1	cement floor	180.8	70.8	187.2	39.4	2.1	3.8	5.8	135.0	1.9	14.0	cement floor	18.7
Saskatoon	3/17/2018	Male	19	24.9	cement floor	188.2	81.6	186.1	75.4	2.0	3.3	5.2	185.0	2.3	10.0	cement floor	18.7
Saskatoon	3/17/2018	Male	20	17.5	cement floor	175.6	71.8	180.1	63.8	1.79	3.50	5.29	171	2.38	7.08	cement floor	18.7
Saskatoon	3/17/2018	Male	21	17.8	cement floor	178.4	70.6	191.3	87.1	1.95	3.34	5.30	164	2.32	14.02	cement floor	20
Saskatoon	3/17/2018	Male	22	16.2	cement floor	169.6	54.0	171.2	56.1	2.14	4.03	6.17	86	1.59	10.08	cement floor	18.7
Saskatoon	3/17/2018	Female	23	14.4	cement floor	163.2	48.8	164.0	49.6	1.99	4.43	6.42	85	1.74	12.01	cement floor	18.7
Saskatoon	3/17/2018	Male	24	17.4	cement floor	185.4	71.2	195.3	55.9	1.81	3.54	5.32	180	2.53	10.05	cement floor	18.7
Saskatoon	3/17/2018	Male	25	16.8	cement floor	177.2	70.0	184.2	68.4	1.88	3.63	5.51	164	2.34	12.01	cement floor	20
Saskatoon	3/17/2018	Male	26	15.0	cement floor	175.6	65.0	179.2	57.9	1.52	3.87	5.70	140	2.15	10.07	cement floor	18.7
Saskatoon	3/17/2018	Female	27	19.5	cement floor	170.4	60.6	167.0	48.8	2.06	4.15	6.22	104	1.72	13.05	cement floor	18.7
Saskatoon	3/17/2018	Male	28		cement floor	176.6	69.2	182.0	64.5	1.9	4.2	6.1	140.0	2.0		cement floor	18.7
Saskatoon	3/17/2018	Male	29	19.8	cement floor	175.2	88.4	188.0	69.6	1.9	3.7	5.6	180.0	2.0	8.1	cement floor	20
Saskatoon	3/17/2018	Female	30	25.2	cement floor	170.6	62.2	173.1	49.5	1.9	4.1	6.0	134.0	2.2	8.0	cement floor	18.7
Saskatoon	3/17/2018	Male	31	18.1	cement floor	181.8	78.0	190.4	60.3	1.9	3.7	5.6	180.0	2.3	12.0	cement floor	18.7
Saskatoon	3/17/2018	Male	32	19.6	cement floor	177.5	73.2	185.8	63.6	1.8	3.6	5.4	146.0	2.0	10.1	cement floor	18.7
Saskatoon	3/17/2018	Female	33		cement floor	167.8	49.0	172.2	54.4	2.1	4.3	6.3	75.0	1.5	8.1	cement floor	18.7
Saskatoon	3/17/2018	Male	34		cement floor	168.4	76.0	177.4	71.0	1.8	3.8	5.6	146.0	1.9	7.1	cement floor	18.7
Saskatoon	3/17/2018	Female	35	14.4	cement floor	179.0	61.6	199.4	56.7	2.3	4.1	6.4	137.0	2.2	7.1	cement floor	18.7
Saskatoon	3/17/2018	Male	36	17.4	cement floor	175.0	62.2	179.4	60.8	1.9	4.1	6.0	145.0	2.3	11.0	cement floor	18.7
Saskatoon	3/17/2018	Female	37	21.8	cement floor	158.2	60.8	163.8	51.8	2.1	4.3	6.1	120.0	2.0	10.0	cement floor	18.7
Saskatoon	3/17/2018	Female	38	15.1	cement floor	176.6	60.6	183.6	46.7	2.2	4.5	6.7	87.0	1.4	8.0	cement floor	18.7
Saskatoon	3/17/2018	Male	39		cement floor	180.2	68.8	183.4	81.3	1.9	3.5	5.4	130.0	1.9	8.0	cement floor	20
Saskatoon	3/17/2018	Male	40	16.3	cement floor	173.6	69.4	180.8	67.9	1.9	3.8	5.7	186.0	2.7	12.0	cement floor	20
Saskatoon	3/17/2018	Male	41	16.0	cement floor	178.0	62.4	186.2	60.6	1.8		5.6	156.0	2.5	9.1	cement floor	18.7
Saskatoon	3/17/2018	Male	42	16.6	cement floor	173.0	73.2	185.2	56.1	1.9	3.9	5.8	175.0	2.4	9.0	cement floor	18.7
Saskatoon	3/17/2018	Male	43	22.3	cement floor	174.6	75.4	182.0	68.1	2.0	3.6	5.6	179.0	2.4	8.0	cement floor	18.7
Saskatoon	3/17/2018	Male	44	16.2	cement floor	179.2	59.8	186.4	52.6	2.2	4.2	6.4	139.0	2.3	13.0	cement floor	20
Saskatoon	3/17/2018	Female	45	18.1	cement floor	161.2	61.0	159.0	43.1	2.1	4.6	6.7	105.0	1.7	10.0	cement floor	18.7
Saskatoon	3/17/2018	Female	46	15.0	cement floor	162.4	53.8	168.8	50.4	2.3	4.7	7.0	99.0	1.8	9.1	cement floor	18.7
Saskatoon	3/17/2018	Female	47	22.6	cement floor	159.8	51.6	165.4	52.0	2.3	4.8	7.1	76.0	1.5	4.1	cement floor	18.7
Saskatoon	3/17/2018	Male	48	18.1	cement floor	168.4	70.8	172.0	72.2	1.9	3.7	5.5	135.0	1.9	9.1	cement floor	18.7
Saskatoon	3/17/2018	Female	49	20.6	cement floor	161.4	66.0	164.6	53.9	2.2	4.0	6.2	110.0	1.7	9.1	cement floor	20
Saskatoon	3/17/2018	Female	50	16.8	cement floor	166.0	63.6	164.0	63.1	2.1	4.1	6.1	135.0	2.1	9.1	cement floor	18.7
Saskatoon	3/17/2018	Male	51	17.6	cement floor	171.5	71.8	178.8	73.9	2.1	3.9	6.0	207.0	2.9	9.1	cement floor	18.7
Saskatoon	3/17/2018	Female	52	17.6	cement floor	152.6	54.2	160.6	50.1	2.1	4.5	6.6	84.0	1.5	6.1	cement floor	18.7
Saskatoon	3/17/2018	Male	53	24.1	cement floor	166.4	64.4	174.6	50.6	2.0	4.0	6.0	126.0	2.0	9.0	cement floor	20
Saskatoon	3/17/2018	Female	54	15.3	cement floor	168.2	54.4	173.4	52.1	2.1	4.2	6.3	105.0	1.9	10.0	cement floor	20
Saskatoon	3/17/2018	Male	55	19.1	cement floor	177.8	77.2	191.0	73.1	1.9	3.7	5.7	213.0	2.8	13.0	cement floor	18.7
Saskatoon	3/17/2018	Male	56	16.8	cement floor	166.6	52.8	169.0	48.1	2.0	4.0	5.9	125.0	2.4	14.1	cement floor	18.7
Saskatoon	3/17/2018	Male	57	15.8	cement floor	177.8	68.0	182.4	59.3	1.9	3.7	5.7	164.0	2.4	14.0	cement floor	18.7
Saskatoon	3/17/2018	Male	58	17.1	cement floor	168.4	56.6	176.0	73.1	1.8	3.6	5.4	140.0	2.5	14.0	cement floor	20
Saskatoon	3/17/2018	Male	59	20.8	cement floor	191.2	86.6	198.2	68.8	1.8	3.7	5.5	200.0	2.3	12.0	cement floor	18.7
Saskatoon	3/17/2018	Female	60	15.1	cement floor	160.5	53.4	161.6	54.6	2.2	4.3	6.4	86.0	1.6	10.0	cement floor	20
Saskatoon	3/17/2018	Male	61	14.7	cement floor	178.1	75.4	184.4	66.3	1.8	3.6	5.5	179.0	2.4	9.1	cement floor	18.7
Saskatoon	3/17/2018	Female	62	17.1	cement floor	167.9	63.0	181.4	48.1	2.3	4.6	7.0	126.0	2.0	6.1	cement floor	18.7
Saskatoon	3/17/2018	Male	63	15.9	cement floor				64.5	1.7	3.7	5.4	160.0		7.1	cement floor	18.7
Saskatoon	3/17/2018	Male	64	21.0	cement floor	172.4	74.8	180.4	71.0	1.9	3.4	5.3	176.0	2.4	12.0	cement floor	18.7
Saskatoon	3/17/2018	Male	65	18.3	cement floor				69.9	1.7	3.5	5.2	171.0		12.1	cement floor	20
Saskatoon	3/17/2018	Male	66	16.2	cement floor				74.6	1.7	3.5	5.1	184.0		13.0	cement floor	18.7
Saskatoon	3/17/2018	Female	67	14.8	cement floor	162.0	54.4	166.0	54.2	2.0	3.9	5.9	93.0	1.7	9.1	cement floor	18.7
Saskatoon	3/17/2018	Male	68	15.9	cement floor				59.9	1.8	4.1	5.9	201.0		11.0	cement floor	18.7
Saskatoon	3/17/2018	Male	69	17.9	cement floor	181.5	71.6	187.0	66.8	2.0	3.8	5.8	116.0	1.6	11.0	cement floor	18.7
Saskatoon	3/17/2018	Male	70	23.9	cement floor	179.6	78.6	190.8	78.9	1.8	3.5	5.3	195.0	2.5	9.1	cement floor	18.7
Saskatoon	3/17/2018	Male	71	25.6	cement floor	190.8	102.2	196.4	59.1	1.9	3.9	5.8	216.0	2.1	9.1	cement floor	18.7
Saskatoon	3/17/2018	Male	72	23.9	cement floor	184.6	100.0	188.0	69.2	1.8	3.8	5.6	229.0	2.3	12.0	cement floor	20
Saskatoon	3/17/2018	Female	73	23.9	cement floor	173.4	74.2	182.8	50.1	2.0	4.5	6.5	132.0	1.8	10.0	cement floor	18.7
Saskatoon	3/17/2018	Female	74	16.5	cement floor	165.4	72.6	174.8	36.6	2.28	5.35	7.64	86	1.18	5.00	cement floor	20

Saskatoon	3/17/2018	Male	75	19.3	cement floor	181.0	80.2	188.8	68.1	1.85	4.07	5.92	201	2.51	10.05	cement floor	20
Saskatoon	3/17/2018	Male	76	15.7	cement floor	176.8	64.8	179.0	50.1	1.78	3.92	5.71	135	2.08	11.01	cement floor	18.7
Saskatoon	3/17/2018	Female	77	16.3	cement floor	172.8	79.6	172.0	44.9	2.34	4.66	7.01	111	1.39	4.06	cement floor	18.7
Saskatoon	3/17/2018	Male	78	18.8	cement floor	176.7	65.4	185.8	77.3	1.78	3.74	5.53	132	2.02	10.03	cement floor	18.7
Saskatoon	3/17/2018	Female	79	18.1	cement floor	162.3	58.2	163.4	56.1	1.97	4.19	6.16	115	1.98	8.01	cement floor	18.7
Saskatoon	3/17/2018	Male	80	17.1	cement floor	178.8	72.4	188.2	66.5	1.92	3.78	5.70	190	2.62	15.05	cement floor	18.7
Saskatoon	3/17/2018	Male	81		cement floor	177.2	73.6	183.6	83.9	1.88	3.37	5.26	181	2.46	12	cement floor	18.7
Saskatoon	3/17/2018	Female	82	18.7	cement floor	157.5	60.6	161.4	62.0	1.97	3.89	5.86	100	1.65	8.08	cement floor	18.7
Saskatoon	3/17/2018	Female	83	14.6	cement floor	172.5	46.6	174.4	50.4	1.96	4.45	6.42	90	1.93	8.03	cement floor	18.7
Saskatoon	3/17/2018	Female	85	19.3	cement floor	162.7	77.0	164.6	58.6	2.25	5.12	7.37	92	1.19	5.01	cement floor	18.7
Saskatoon	3/17/2018	Female	86	23.2	cement floor	159.8	57.6	169.6	55.6	1.89	4.23	6.12	130	2.26	8.05	cement floor	18.7
Saskatoon	3/17/2018	Male	87	19.6	cement floor	187.8	80.6	183.6	80.3	1.82	3.33	5.16	170	2.11	10.01	cement floor	18.7
Saskatoon	3/17/2018	Female	88	14.9	cement floor	156.6	49.0	162.0	33.4	2.55	5.60	8.16	76	1.55	3.05	cement floor	18.7
Saskatoon	3/17/2018	Female	89	19.8	cement floor	176.2	70.4	184.8	59.8	2.17	3.88	6.06	165	2.34	12.02	cement floor	20
Saskatoon	3/17/2018	Male	90	14.1	cement floor	171.2	50.2	178.8	50.7	2.04	4.39	6.43	110	2.19	na	cement floor	18.7
Saskatoon	3/17/2018	Male	91	22.2	cement floor	194.5	86.0	200.0	82.3	1.90	3.51	5.41	222	2.58	14.03	cement floor	18.7
Saskatoon	3/17/2018	Male	92	16.5	cement floor	175.8	74.6	188.2	54.4	1.88	3.99	5.87	131	1.76	8.05	cement floor	20
Saskatoon	3/17/2018	Male	93	16.8	cement floor	185.2	125.4	188.4	47.0	2.18	4.25	6.44	200	1.59	7.01	cement floor	18.7
Saskatoon	3/17/2018	Male	94	17.0	cement floor	178.1	83.8	188.6	61.7	1.93	3.76	5.69	161	1.92	7.01	cement floor	18.7
Saskatoon	3/17/2018	Male	95	19.2	cement floor	176.8	69.0	178.6	78.7	1.84	3.25	5.13	152	2.20	12.09	cement floor	18.7
Saskatoon	3/17/2018	Male	96	18.8	cement floor	181.8	91.8	190.0	62.9	1.88	3.78	5.67	171	1.86	7.00	cement floor	20
Saskatoon	3/17/2018	Male	97	15.0	cement floor	171.2	67.8	176.4	73.7	1.90	3.51	5.41	167	2.46	7.09	cement floor	18.7
Saskatoon	3/17/2018	Female	98	23.9	cement floor	172.6	64.6	181.0	66.8	1.81	3.73	5.54	137	2.12	6.06	cement floor	18.7
Saskatoon	3/17/2018	Male	99	19.2	cement floor	181	74.6	189.8	84.7	1.84	3.37	5.22	166	2.23	14	cement floor	18.7
Saskatoon	3/17/2018	Male	100	19.0	cement floor	183.4	49.3	193.2	50.9	2.01	4.13	6.15	161	3.27	6.05	cement floor	18.7
Saskatoon	3/17/2018	Male	101	15.0	cement floor	173.8	68.0	182.4	57.4	1.83	3.75	5.58	136	2.00	9.02	cement floor	18.7
Saskatoon	3/17/2018	Male	102	15.8	cement floor	165.6	58.2	173.5	78.9	1.68	3.66	5.32	140	2.41	10.01	cement floor	18.7
Saskatoon	3/17/2018	Female	103		cement floor	168.2	62.2	171.4	52.8	1.95	4.21	6.16	105	1.69	6.06	cement floor	18.7
Saskatoon	3/17/2018	Male	104	24.3	cement floor	180.8	100.8	190.6	57.9	1.89	3.90	5.80	191	1.89	9.01	cement floor	18.7
Saskatoon	3/17/2018	Male	105	17.0	cement floor	180.2	62.8	186.0	71.2	1.72	3.53	5.26	139	2.21	9.08	cement floor	18.7
Saskatoon	3/17/2018	Male	107	16.9	cement floor	197.6	62.0	209.0	63.4	2.01	3.70	5.72	150	2.42	8.02	cement floor	20
Saskatoon	3/17/2018	Male	108	17.2	cement floor	180.5	69.0	187.4	58.9	1.78	3.75	5.53	189	2.74	12.00	cement floor	20
Saskatoon	3/17/2018	Male	109		cement floor	175.6	75	186.6	80.2	1.98	3.41	5.4	178	2.37	9.09	cement floor	18.7
Saskatoon	3/17/2018	Female	110	14.1	cement floor	160.6	52.6	170.4	48.8	2.05	4.43	6.48	108	2.05	8.02	cement floor	20
Saskatoon	3/17/2018	Female	111		cement floor	156.6	46.2	158.2	52.9	2.03	4.18	6.22	90	1.95	8.02	cement floor	18.7
Saskatoon	3/17/2018	Male	112	16.6	cement floor	171.8	56.4	185.2	61	1.9	3.8	5.7	134	2.38	12.01	cement floor	18.7
Saskatoon	3/17/2018	Female	113	15.2	cement floor	157.2	47.6	170.4	61.8	1.87	3.74	5.61	109	2.29	9.05	cement floor	20
Saskatoon	3/17/2018	Male	114	24.5	cement floor	192.4	106.0	204.4	80.3	1.76	3.54	5.30	230	2.17	5.07	cement floor	18.7
Saskatoon	3/17/2018	Male	115	19.6	cement floor	184.2	80.6	190.6	77.5	1.72	3.41	5.13	200	2.48	10.01	cement floor	18.7
Saskatoon	3/17/2018	Male	116	18.7	cement floor	189.0	81.2	193.0	90.7	1.84	3.29	5.13	185	2.28	10.08	cement floor	18.7
Saskatoon	3/17/2018	Male	117	19.2	cement floor	177.8	70.2	185.0	80.9	1.83	3.38	5.21	140	1.99	10.02	cement floor	18.7
Saskatoon	3/17/2018	Male	118		cement floor	173.2	71.4	179.6	75.8	1.85	3.26	5.11	144	2.02	10.07	cement floor	18.7
Saskatoon	3/17/2018	Male	119	22.5	cement floor	185.1	90.0	190.0	72.9	1.84	3.22	5.06	226	2.51	12.00	cement floor	18.7
Saskatoon	3/17/2018	Female	120		cement floor	160.8	56	167	41	2.27	4.35	6.63	99	1.77	3.02	cement floor	18.7
Saskatoon	3/17/2018	Male	121	16.9	cement floor	177.4	66.6	181.6	60.3	1.88	3.92	5.81	159	2.39	11.02	cement floor	18.7
Saskatoon	3/17/2018	Male	122	16.2	cement floor	175.8	62.0	188.0	62.9		4.02	5.89	180	2.90	10.01	cement floor	20
Saskatoon	3/17/2018	Female	123	14.5	cement floor	164.6	45.4	175.4	47.0	2.18	4.36	6.54	99	2.18	10.07	cement floor	18.7